

## Example 1

Assume a TCP sender without fast retransmit, but with slow start and congestion avoidance. Also assume:

- Segments  $n, n+1, n+2, \dots, n+10$  are transmitted at times  $0, 1, 2, \dots, 10$  ms
- Transmission time / segment = 1 ms
- RTT (2 x propagation + transmission + ACK processing + ACK transmission) = 10 ms
- Segment  $n$  is lost, no other losses of segments or ACKs
- No misordering of segments or ACKs by the network
- Retransmission timer for segment  $n$  is 60 ms, starting at the end of transmission
- $cwnd = ssthresh = 64$  at time 0
- Don't consider a window limitation by the receiver

1

## Example 1

### 1. At what time does the source detect the loss of segment $n$ and how?

The loss is detected by a timeout at 61 ms. We assumed no fast retransmits and so loss is recognized by timeouts.

### 2. When does the ACK for segment $n+3$ arrive?

At 61 ms the loss of segment  $n$  is detected and sender retransmits it. The receiver will ACK not only segment  $n$ , but all the segments up to  $n+10$  (cumulative ACKs) and the ACK reaches the sender at 71 ms (61 ms + RTT value of 10 ms).

### 3. After retransmitting segment $n$ the source has 3 more packets available to send ( $n+11$ to $n+13$ ). At what time is the ACK for segment $n+13$ received?

Due to the loss,  $cwnd$  is set to 1 and  $ssthresh$  to 32. When the ACK for segment  $n$  arrives (71ms),  $cwnd$  is set to 2. Segment  $n+11$  and  $n+12$  are sent at 71 and 72 ms respectively. At 81 ms the ACK for  $n+11$  arrives.  $cwnd$  increases and segment  $n+13$  is sent out. The ACK arrives at 91 ms.

2

## Example 1


**4. Assume fast retransmit and fast recovery are implemented. When is the ACK for segment n+3 received? Also assume that segments n+11 to n+13 are available at time 60. When is the ACK for segment n+13 received?**

Segment n is sent at 0 ms, but not ACK'ed. Segment n+1 is sent at 1 ms and ACK'ed at 11 ms. Segment n+2 is sent at 2 ms and ACK'ed at 12 ms. Segment n+3 is sent at 3 ms and ACK'ed at 13 ms. Due to loss of segment n, all the ACKs mentioned, refer to segment n. The three duplicate ACKs indicate a packet loss, thus segment n is retransmitted at 13ms and all segments up to n+10 are ACKed at 23ms.

Due to fast recovery cwnd is halved. Segments n+11 to n+13 can be sent in a row at 60, 61, and 62 ms respectively. The ACK for segment n+13 will arrive at 72 ms.

3

## Example 2



4

## Example 2

**1. Identify the intervals where TCP slow-start is operating**

[1,6] and [23,26]

**2. Where is congestion avoidance operating?**

[6,16] and [17,22]

**3. After the 16<sup>th</sup> transmission round, is loss detected by triple duplicate ACKs or by timeout?**

Triple duplicate ACK, otherwise congestion window would drop to 1

**4. After the 22<sup>nd</sup> round is loss detected by triple duplicate ACKs or timeout?**

Timeout, that's why congestion window goes back to 1

5

## Example 2

**5. What is the ssthresh value at the first transmission round?**

32, then slow start stops and we have AI

**6. What is the ssthresh at the 18<sup>th</sup> transmission round?**

The ssthresh is set to half the congestion window which is 42, so ssthresh is 21

**7. What is the ssthresh at the 24<sup>th</sup> transmission round?**

The congestion window before loss is 26, so ssthresh is 13

**8. What will the values for congestion window and ssthresh be if packet loss is detected after the 26<sup>th</sup> round by triple duplicate ACKs?**

Half the value of the congestion window, so we will get 4.

6